


YOUR PERSONAL PRESCRIPTION INFORMATION

Your Walgreens Pharmacy Location
4330 Highway 22
Mandeville, LA 70471
(985)674-2551

IF YOU HAVE QUESTIONS ABOUT YOUR PRESCRIPTION, PLEASE CONTACT YOUR WALGREENS PHARMACIST OR CALL 1-800-WALGREENS.

PATIENT	JEFFREY BODIN	DOCTOR	J. CRUZ, MD	DRUG DESCRIPTION
BIRTH DATE	05/22/97			
MEDICATION	MONTELUKAST 10MG TABLETS			BEIGE
QUANTITY	30			FRONT: 1
DIRECTIONS	TAKE 1 TABLET BY MOUTH EVERY DAY			BACK: 114
PATIENT ALLERGIES				

INGREDIENT NAME: Montelukast Tablets (MON te LOO kast)
COMMON USES: It is used to ease allergy signs. It is used to prevent exercise-induced breathing problems. It is used to treat or prevent asthma. It may be given to you for other reasons. Talk with the doctor. For asthma: Do not use this drug to treat an asthma attack. Use a rescue inhaler. Talk with your doctor.

BEFORE USING THIS MEDICINE: WHAT DO I NEED TO TELL MY DOCTOR BEFORE I TAKE THIS DRUG? TELL YOUR DOCTOR: If you have an allergy to montelukast or any other part of this drug, tell your doctor. Tell your doctor about all the other drugs, foods, or other substances you are taking. Tell your doctor about the allergy and what signs you had, like rash; hives; itching; shortness of breath; wheezing; cough; swelling of face, lips, tongue, or other parts of the body. Tell your doctor and pharmacist about all of your current medicines (prescription or OTC, natural products, vitamins) and health problems. You must check to make sure that it is safe for you to take this drug with all of your drugs and health problems. Do not start, stop, change the dose of any drug without checking with your doctor.

HOW TO USE THIS MEDICINE: HOW IS THIS DRUG BEST TAKEN? Use this drug as ordered by the doctor. Take with or without food. Take every day at the same time. Take with or without food. Take even during sign-free periods. If working out or playing sports causes signs, use at least 2 hours before doing it. If this drug is for asthma, take in the evening. To gain the most benefit, do not stop taking this drug unless you have been told by your doctor or other health care provider, even if you feel well. **HOW DO I STORE AND/OR THROW OUT THIS DRUG?** Store at room temperature. Protect from light. Store in a dry place. Do not store in a bathroom. Keep all drugs in their original containers. Do not flush down a toilet or pour down a drain unless you are told to do so. Check with your pharmacist if you have questions about the best way to throw out drugs. **DO I MISS A DOSE?** Skip the missed dose and go back to your normal time. Do not take 2 doses at the same time or extra doses.

CAUTIONS: Tell all of your health care providers that you take this drug. Tell your doctor if you are pregnant or planning to get pregnant. Call your doctor right away if your normal dose does not work as well or if you need to use your inhaler more often. This drug is not helpful during an asthma attack. Do not use this drug to stop asthma or allergy. If you have asthma and taking aspirin makes it worse, keep avoiding aspirin and NSAIDs while you take this drug. Tell your doctor if you are pregnant or plan on getting pregnant. You will need to talk about the benefits and risks of using this drug. Tell your doctor if you are taking any other medicines. Tell your doctor if you need to talk about any risks to your baby.

POSSIBLE SIDE EFFECTS: WHAT ARE SOME SIDE EFFECTS THAT WARNING CAUTION: EIGHT OR MORE OF THE FOLLOWING You may have very bad and sometimes deadly side effects when taking a drug. Tell your doctor or get medical help right away if you have any of the following signs or symptoms that may be related to a very bad allergic reaction: trouble breathing or peeling skin with or without fever; wheezing; tightness in the chest or throat; trouble breathing, swallowing, or talking; unusual hoarseness; or swelling of the mouth, face, lips, tongue, or throat. Signs of liver problems like dark urine, light-colored stools, throwing up, or yellow skin or eyes. Signs of a pancreas problem (pancreatitis) like very bad stomach pain, very bad back pain, or very bad upset stomach or throwing up. Signs of low blood sugar like hunger, sweating, or feeling shaky. Signs of an emotional ups and downs thinking that is not normal, anxiety or lack of interest in life. Hallucinations (seeing or hearing things that are not there). Change in how you act. Memory problems or loss. Feeling dizzy or lightheaded. Not able to focus. Bad or painful eyes. Stomach pain. Stomach or intestinal pain. Sinus pain. A heartbeat that does not feel normal. Any unexplained bruising or bleeding. A burning, numbness, or tingling feeling that is not normal. Ear pain. Numbness or tingling in your hands or feet. Swelling of the face, lips, or neck (swollen lymph nodes). Swelling of the face, lips, or neck (swollen lymph nodes) may happen because we do not know what health problems that may not go away; and sometimes death. Get medical help right away if you have signs like red, swollen, blistered, or peeling skin (with or without fever); red or irritated eyes; or sores in your mouth, throat, nose, or eyes. **WHAT ARE SOME OTHER SIDE EFFECTS OF**

THIS DRUG? All drugs may cause side effects. However, many people have no side effects or only have minor side effects. Call your doctor or get medical help if any of these side effects or any other side effects bother you or do not go away: Cough. Loose stools (diarrhea). Headache. Sore throat. Belly pain. Stuffy nose. Runny nose. Itchy throat. Itchy eyes. Itchy skin. Call your doctor for medical advice about side effects. You may report side effects to the FDA at 1-800-FDA-1088. You may also report side effects at <http://www.fda.gov/medwatch>.
OVERDOSE: If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.
ADDITIONAL INFORMATION: If your symptoms or health problems do not get better or if they become worse, call your doctor. Do not share your drugs with others and do not take anyone else's drugs. Keep a list of all your drugs (prescription, natural products, OTC, vitamins) on a piece of paper. Give this list to all health care providers. Tell your doctor before starting any new drug, including prescription or OTC, natural products, or vitamins. Some drugs may have another patient information leaflet. Check with your pharmacist. If you have any questions about this drug, please talk with your doctor, nurse, pharmacist, or other health care provider.

Call your doctor for medical advice about side effects.
You may report side effects to FDA at 1-800-FDA-1088.

WIC# 828188 12T

Do not flush unused medications or pour down a sink or drain.

KEEP OUT OF REACH OF CHILDREN: STORE IN SAFETY CONTAINER OR SECURE AREA.

JEFFREY BODIN
9856520-5713 Drive, Mandeville, LA 704711777
RX # 2014426-05382 DATE: 03/06/18

MONTELUKAST 10MG TABLETS
QTY: 30 2 REFILLS BEFORE 02/02/19
Refill NDC: 31722-0726-30 \$ 0.00

J. CRUZ, MD
MFG: CAMBER
ZZZ / / / B. GULLORY

PLAN: ABHPA
GROUP # RX8834
CLAIM REF# 180657317208174999


Walgreens
4330 HIGHWAY 22, MANDEVILLE, LA 70471
PH: (985)674-2551

Customer Receipt

Pharmacy use only

WED 10:00AM
Refill

MONTELUKAST 10MG TABLETS
31722-0726-30
FAST RACK



BEIGE
FRONT: 1
BACK: 114

JEFFREY BODIN
9856520-5713 Drive, Mandeville, LA 704711777
RX # 2014426-05382 DATE: 03/06/18

MONTELUKAST 10MG TABLETS
QTY: 30 2 REFILLS BEFORE 02/02/19
Refill NDC: 31722-0726-30 \$ 0.00


J. CRUZ, MD
MFG: CAMBER
ZZZ / / / B. GULLORY

PLAN: ABHPA
GROUP # RX8834
CLAIM REF# 180657317208174999

Walgreens
4330 HIGHWAY 22, MANDEVILLE, LA 70471
PH: (985)674-2551

Duplicate Receipt

QTY 30
10 DRAM



BEIGE
FRONT: 1
BACK: 114