

YOUR PERSONAL PRESCRIPTION INFORMATION

Your Walgreens Pharmacy Location

4330 Highway 22
Mandeville, LA 70471
(985)674-2551

IF YOU HAVE QUESTIONS ABOUT YOUR PRESCRIPTION, PLEASE CONTACT YOUR WALGREENS PHARMACIST OR CALL 1-800-WALGREENS.

PATIENT JEFFREY BODIN	DOCTOR L. ROBINSON, NP	DRUG DESCRIPTION
BIRTH DATE 05/22/97		LIQUID
MEDICATION AZELASTINE 0.1%(137MCG) NASAL-200SP	PATIENT ALLERGIES <ALLERGY HISTORY NOT KNOWN>	
QUANTITY 30		
DIRECTIONS USE 1 SPRAY IN EACH NOSTRIL TWICE DAILY		

INGREDIENT NAME: Azelastine (Nasal) (a ZEL as teen)

COMMON USES: It is used to ease allergy signs. It is used to treat a runny nose.

BEFORE USING THIS MEDICINE: WHAT DO I NEED TO TELL MY DOCTOR BEFORE I TAKE THIS DRUG? TELL YOUR DOCTOR: If you have an allergy to azelastine or any other part of this drug. TELL YOUR DOCTOR: If you are allergic to any drugs like this one, any other drugs, foods, or other substances. Tell your doctor about the allergy and what signs you had, like rash; hives; itching; shortness of breath; wheezing; cough; swelling of face, lips, tongue, or throat; or any other signs. This drug may interact with other drugs or health problems. Tell your doctor and pharmacist about all of your drugs (prescription or OTC, natural products, vitamins) and health problems. You must check to make sure that it is safe for you to take this drug with all of your drugs and health problems. Do not start, stop, or change the dose of any drug without checking with your doctor.

HOW TO USE THIS MEDICINE: HOW IS THIS DRUG BEST TAKEN? Use this drug as ordered by your doctor. Read all information given to you. Follow all instructions closely. Follow how to use as you have been told by the doctor or read the package insert. To gain the most benefit, do not miss doses. Use as you have been told, even if your signs get better. Do not take this drug by mouth. Use in your nose only. Keep out of your mouth and eyes (may burn). Some products may have different ways to prime the pump. Some pumps may also need to be primed if not used for different periods of time. Follow how and when to prime as you have been told. Blow your nose before use. Spray up the nose only. Do not spray onto the wall joining the two nostrils. HOW DO I STORE AND/OR THROW OUT THIS DRUG? Store at room temperature. Do not freeze. Store upright with the cap on. Store in a dry place. Do not store in a bathroom. Keep all drugs in a safe place. Keep all drugs out of the reach of children and pets. Throw away unused or expired drugs. Do not flush down a toilet or pour down a drain unless you are told to do so. Check with your pharmacist if you have questions about the best way to throw out drugs. There may be drug take-back programs in your area. WHAT DO I DO IF I MISS A DOSE? Use a missed dose as soon as you think about it. If it is close to the time for your next dose, skip the missed dose and go back to your normal time. Do not use 2 doses at the same time or extra doses.

CAUTIONS: Tell all of your health care providers that you take this drug. This includes your doctors, nurses, pharmacists, and dentists. Avoid driving and doing other tasks or actions that call for you to be alert until you see how this drug affects you. If you have had any recent nose surgery, injury, ulcers, or sores, talk with your doctor. Avoid alcohol or other drugs and natural products that slow your actions. If this drug is taken by mouth, get medical help or call a poison control center right away. Tell your doctor if you are pregnant or plan on getting pregnant. You will need to talk about the benefits and risks of using this drug while you are pregnant. Tell your doctor if you are breast-feeding. You will need to talk about any risks to your baby.

POSSIBLE SIDE EFFECTS: WHAT ARE SOME SIDE

EFFECTS THAT I NEED TO CALL MY DOCTOR ABOUT RIGHT AWAY? WARNING/CAUTION: Even though it may be rare, some people may have very bad and sometimes deadly side effects when taking a drug. Tell your doctor or get medical help right away if you have any of the following signs or symptoms that may be related to a very bad side effect: Signs of an allergic reaction, like rash; hives; itching; red, swollen, blistered, or peeling skin with or without fever; wheezing; tightness in the chest or throat; trouble breathing, swallowing, or talking; unusual hoarseness; or swelling of the mouth, face, lips, tongue, or throat. Very bad nose irritation. Bad nosebleeds. Eye irritation. WHAT ARE SOME OTHER SIDE EFFECTS OF THIS DRUG? All drugs may cause side effects. However, many people have no side effects or only have minor side effects. Call your doctor or get medical help if any of these side effects or any other side effects bother you or do not go away: Feeling sleepy. Headache. Cough. Runny nose. Sneezing. Nose pain or irritation. Burning. Change in taste. Feeling tired or weak. Nosebleed. Sore throat. Upset stomach. Dry mouth. Dizziness. Weight gain. These are not all of the side effects that may occur. If you have questions about side effects, call your doctor. Call your doctor for medical advice about side effects. You may report side effects to the FDA at 1-800-FDA-1088. You may also report side effects at <http://www.fda.gov/medwatch>.

OVERDOSE: If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

ADDITIONAL INFORMATION: If your symptoms or health problems do not get better or if they become worse, call your doctor. Do not share your drugs with others and do not take anyone else's drugs. Keep a list of all your drugs (prescription, natural products, vitamins, OTC) with you. Give this list to your doctor. Talk with the doctor before starting any new drug, including prescription or OTC, natural products, or vitamins. Some drugs may have another patient information leaflet. Check with your pharmacist. If you have any questions about this drug, please talk with your doctor, nurse, pharmacist, or other health care provider.

KEEP OUT OF REACH OF CHILDREN: STORE IN SAFETY CONTAINER OR SECURE AREA.

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Do not flush unused medications or pour down a sink or drain.

WIC# 828188 12T

JEFFREY BODIN

528 Beau Chene Drive, Mandeville, LA 70471777
(985)272-8989

RX # 2167231-05382

DATE: 05/16/19

AZELASTINE 0.1%(137MCG) NASAL-200SP
QTY: 30 NO REFILLS - DR. AUTH REQUIRED
New-E NDC: 60505-0833-05

\$ 0.00

L. ROBINSON, NP
MFG: APOTEX
DSB/JNM/JMK/JB/B. GUILLORY

PLAN: ABHPA
GROUP# RX8834
CLAIM REF# 191364023524225998

Walgreens

4330 HIGHWAY 22 MANDEVILLE, LA 70471
PH: (985)674-2551

Customer
Receipt

JEFFREY BODIN

528 Beau Chene Drive, Mandeville, LA 70471777
(985)272-8989

RX # 2167231-05382

DATE: 05/16/19

AZELASTINE 0.1%(137MCG) NASAL-200SP
QTY: 30 NO REFILLS - DR. AUTH REQUIRED
New-E NDC: 60505-0833-05

\$ 0.00

L. ROBINSON, NP
MFG: APOTEX
DSB/JNM/JMK/JB/B. GUILLORY

PLAN: ABHPA
GROUP# RX8834
CLAIM REF# 191364023524225998

Walgreens

4330 HIGHWAY 22 MANDEVILLE, LA 70471
PH: (985)674-2551

Duplicate
Receipt

Pharmacy use only

THU 12:40PM
New-E

AZELASTINE 0.1%(137MCG) NASAL-200SP
60505-0833-05
UNIT OF USE

QTY 30

LIQUID

DSB/JNM/JMK/JB/B. GUILLORY

YOUR PERSONAL PRESCRIPTION INFORMATION

Your Walgreens Pharmacy Location

4330 Highway 22
Mandeville, LA 70471
(985)674-2551

IF YOU HAVE QUESTIONS ABOUT YOUR PRESCRIPTION, PLEASE CONTACT YOUR WALGREENS PHARMACIST OR CALL 1-800-WALGREENS.

PATIENT JEFFREY BODIN	DOCTOR L. ROBINSON, NP	DRUG DESCRIPTION
BIRTH DATE 05/22/97		LIQUID
MEDICATION NEO/POLY/HC 1% OTIC SUSPGREEN(EAR)	PATIENT ALLERGIES < ALLERGY HISTORY NOT KNOWN >	
QUANTITY 10		
DIRECTIONS SHAKE LIQUID AND INSTILL 3 DROPS IN AFFECTED EAR(S) FIVE TIMES DAILY		

INGREDIENT NAME: Neomycin, Polymyxin B, and Hydrocortisone Otic Suspension (nee oh MYE sin, pol i MIKS in bee, & hye droe KOR ti sone)

COMMON USES: It is used to treat ear infections.

BEFORE USING THIS MEDICINE: WHAT DO I NEED TO TELL MY DOCTOR BEFORE I TAKE THIS DRUG? TELL YOUR DOCTOR: If you have an allergy to neomycin, polymyxin B, hydrocortisone, or any other part of this drug. **TELL YOUR DOCTOR:** If you are allergic to any drugs like this one, any other drugs, foods, or other substances. Tell your doctor about the allergy and what signs you had, like rash; hives; itching; shortness of breath; wheezing; cough; swelling of face, lips, tongue, or throat; or any other signs. **TELL YOUR DOCTOR:** If you have any of these health problems: Chickenpox, herpes infection, or viral infection of the ear. **TELL YOUR DOCTOR:** If you have a ruptured eardrum. This is not a list of all drugs or health problems that interact with this drug. Tell your doctor and pharmacist about all of your drugs (prescription or OTC, natural products, vitamins) and health problems. You must check to make sure that it is safe for you to take this drug with all of your drugs and health problems. Do not start, stop, or change the dose of any drug without checking with your doctor.

HOW TO USE THIS MEDICINE: HOW IS THIS DRUG BEST TAKEN? Use this drug as ordered by your doctor. Read all information given to you. Follow all instructions closely. Use as you have been told, even if your signs get better. To gain the most benefit, do not miss doses. Shake well before use. Wash your hands before and after use. For the ear only. Lie on your side with problem ear up. For children 3 years of age and older and adults, pull the outer ear outward and upward. For children younger than 3 years of age, pull the outer ear outward and downward. Put drops in ear without touching dropper to ear. Stay on side for 2 minutes or put cotton plug in ear. **HOW DO I STORE AND/OR THROW OUT THIS DRUG?** Store at room temperature. Keep all drugs in a safe place. Keep all drugs out of the reach of children and pets. Throw away unused or expired drugs. Do not flush down a toilet or pour down a drain unless you are told to do so. Check with your pharmacist if you have questions about the best way to throw out drugs. There may be drug take-back programs in your area. **WHAT DO I DO IF I MISS A DOSE?** Use a missed dose as soon as you think about it. If it is close to the time for your next dose, skip the missed dose and go back to your normal time. Do not use 2 doses at the same time or extra doses.

CAUTIONS: Tell all of your health care providers that you take this drug. This includes your doctors, nurses, pharmacists, and dentists. Do not use longer than you have been told. A second infection may happen. If you are allergic to sulfites, talk with your doctor. Some products have sulfites. Use with care in children. Talk with the doctor. Tell your doctor if you are pregnant or plan on getting pregnant. You will need to talk about the benefits and risks of using this drug while you are pregnant. Tell your doctor if you are breast-feeding. You will need to talk about any risks to your baby.

POSSIBLE SIDE EFFECTS: WHAT ARE SOME SIDE EFFECTS THAT I NEED TO CALL MY DOCTOR ABOUT

RIGHT AWAY? WARNING/CAUTION: Even though it may be rare, some people may have very bad and sometimes deadly side effects when taking a drug. Tell your doctor or get medical help right away if you have any of the following signs or symptoms that may be related to a very bad side effect: Signs of an allergic reaction, like rash; hives; itching; red, swollen, blistered, or peeling skin with or without fever; wheezing; tightness in the chest or throat; trouble breathing, swallowing, or talking; unusual hoarseness; or swelling of the mouth, face, lips, tongue, or throat. Ear irritation. Hearing loss. This can be long-lasting. Not able to pass urine or change in how much urine is passed. **WHAT ARE SOME OTHER SIDE EFFECTS OF THIS DRUG?** All drugs may cause side effects. However, many people have no side effects or only have minor side effects. Call your doctor or get medical help if any of these side effects or any other side effects bother you or do not go away: Burning. Stinging. These are not all of the side effects that may occur. If you have questions about side effects, call your doctor. Call your doctor for medical advice about side effects. You may report side effects to the FDA at 1-800-FDA-1088. You may also report side effects at <http://www.fda.gov/medwatch>.

OVERDOSE: If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

ADDITIONAL INFORMATION: If your symptoms or health problems do not get better or if they become worse, call your doctor. Do not share your drugs with others and do not take anyone else's drugs. Keep a list of all your drugs (prescription, natural products, vitamins, OTC) with you. Give this list to your doctor. Talk with the doctor before starting any new drug, including prescription or OTC, natural products, or vitamins. Some drugs may have another patient information leaflet. Check with your pharmacist. If you have any questions about this drug, please talk with your doctor, nurse, pharmacist, or other health care provider.

KEEP OUT OF REACH OF CHILDREN: STORE IN SAFETY CONTAINER OR SECURE AREA.

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Do not flush unused medications or pour down a sink or drain.

WIC# 828188 12T

JEFFREY BODIN

528 Beau Chene Drive, Mandeville, LA 704711777
(985)272-8989

RX # 2167230-05382

DATE: 05/16/19

NEO/POLY/HC 1% OTIC SUSPGREEN(EAR)

QTY: 10 NO REFILLS

New-E NDC: 61314-0645-11

\$ 0.00

L. ROBINSON, NP
MFG: SANDOZ
XXX-NCZ-NCZ B. GUILLORY

PLAN: ABHPA
GROUP# RX8834
CLAIM REF# 191364022902069999

Walgreens

4330 HIGHWAY 22 MANDEVILLE, LA 70471
PH: (985)674-2551

Customer Receipt

JEFFREY BODIN

528 Beau Chene Drive, Mandeville, LA 704711777
(985)272-8989

RX # 2167230-05382

DATE: 05/16/19

NEO/POLY/HC 1% OTIC SUSPGREEN(EAR)

QTY: 10 NO REFILLS

New-E NDC: 61314-0645-11

\$ 0.00

L. ROBINSON, NP
MFG: SANDOZ
XXX-NCZ-NCZ B. GUILLORY

PLAN: ABHPA
GROUP# RX8834
CLAIM REF# 191364022902069999

Walgreens

4330 HIGHWAY 22 MANDEVILLE, LA 70471
PH: (985)674-2551

Duplicate Receipt

Pharmacy use only

THU 12:40PM
New-E

NEO/POLY/HC 1% OTIC SUSPGREEN(EAR)
61314-0645-11
UNIT OF USE

QTY 10

LIQUID

XXX-NCZ-NCZ B. GUILLORY