



Spray Booth

MODEL NUMBER: BD-512

USER GUIDE

After Sales Support



Contents

- 1. Welcome Section
- 2. General Information & Safety Instructions
- 3. Contents & Features
- 3. Parts
- 4-7. Setup
 - 8. Turntable
 - 9. Storing the Booth
 - 10. Changing the Filter
 - 11. Specifications

Welcome

Congratulations!

You have made an excellent choice with the purchase of this quality AIRBRUSH HEAVEN product.

By doing so you now have the assurance and peace of mind which comes from purchasing a product that has been manufactured to the highest standards of performance and safety, supported by the high quality standards of Airbrush Heaven.

We want you to be completely satisfied with your purchase so this AIRBRUSH HEAVEN product is backed by a comprehensive manufacturer's 1 year warranty and outstanding after sales service through our helpline.

We hope you enjoy using this product for many years to come.

If you require technical support or in the unlikely event that your purchase is faulty, please telephone our helpline for immediate assistance. Faulty product claims made within the 1 year warranty period will be repaired or replaced free of charge provided that you have a satisfactory proof of purchase (keep your receipt/invoice safe). This does not affect your statutory rights. However be aware that the warranty will become null and void if the product is found to have been deliberately damaged, misused and/or disassembled other than directed. See warranty certificate for full details at the back of this guide.

General Information & Safety Instructions

WARNING! The warnings, precautions, and instructions discussed in this manual cannot cover all possible conditions and situations that may occur. The operator must understand that common sense and caution are factors, which cannot be built into this product.

Contents & Features

Contents


- 1 x Spray Booth
- 1 x Filter
- 1 x Extractor Hose
- 1 x Extractor End Piece
- 1 x Turntable

Features

- Portable fold away design
- Independent fan and lighting control
- Retractable mains lead
- Easy change filter
- 2.5m Retractable ventilation hose
- Turntable
- Carry handle
- LRF Support (Little Rubber Feet)

After Sales Support

Parts



After Sales Support

Setting Up You Spray Booth

First you will need to attach the extractor hose.




Place the spring clip over the end of the extractor hose.




Then place the hose over the extractor port on the back of the spray booth and release the spring clip to hold the hose in place.






After Sales Support

To fit the extraction end piece, pinch at least three loops together and stretch the next few loops taught.




Slide the hose over the end of the extractor end piece.



Once the hose is securely fitted into place you will need to open the the spray area. To do this lower the bottom panel into position first.



Next raise the upper panel into position and lock it into position.



Make sure the clips lock fully into place to hold the upper panel up.

Now the panels are securely in place you can now access the mains lead stored in the bottom right side panel.





Pull the plug to extend the mains cable (up to 1.3m) and connect it to the mains outlet point.

You have two option when using the spray booth, 'fan only' and 'fan and light'. The 3 way switch is located on the back on the spray booth.





Fan & Light



Off



Fan only

Press the switch for the required function.

After Sales Support UK/N.IRELAND HELPLINE N°: 01270 508530

WEBSITE: www.airbrushheaven.co.uk
EMAIL: enquiries@airbrushheaven.co.uk

The Turntable

The turntable supplied with the spray booth is independent from the booth itself, you can use it in conjunction with the spray booth or as a workstation. The turntable a is 360° free rotating platform.



You can secure the position of the turntable with the sucker feet to most surfaces.



After Sales Support

Storing the Booth

After you have finished with the unit press the switch located on the back to the 'Off' position. Disconnect the mains lead from the mains outlet. Press the cable retraction button located on the back of the unit.





Retract Cable

Please Note:

The retraction mechanism is spring loaded, watch your fingers and surroundings.

Once the cable has retracted to within the housing, unclip the top panel and push it down and raise the bottom panel till it meets the case. The spray booth is closed.

If you need to move the spray booth completely, release the spring clip at the back of the spray booth and remove the hose off the extraction outlet. Collapse the hose. Place the spring clip and the extractor hose in a safe place for later use.

Changing the Filter

The spray booth is provided with a filter already installed but you will need to change this later on through a fair amount of use.

To do this press down on the filter housing inside the booth, unclip the tabs and pull it towards you.





You will see two filters, the blue one the main filter and a white thinner secondary filter to protect the working parts. Remove the blue filter and dispose of it safely depending on the chemicals used with it and replace a new filter within the frame.



Place the frame on the bottom edge at the read mesh and lift the frame up till the tabs click into place.

Replacement filters are available from our website.

After Sales Support

Specifications

Power: 25W
Airflow: 3m³/min
Noise: 45dB

Deployed Dimensions: 405mm x 475mm x 335mm
Stored Dimensions: 405mm x 215mm x 290mm

Net Weight: 5KgHose Length: 2.5m



Warranty Certificate

Warranty

This product is guaranteed to be free from defects in workmanship and parts for a period of 12 months from the date of purchase. Defects that occur within this warranty period, under normal use and care, will be repaired, replaced or refunded at our discretion, solely at our option with no charge for parts and labour. The benefits conferred by this warranty are in addition to all rights and remedies in respect of the product the consumer has under existing U.K. laws.

Proof of Purchase

This warranty is valid for the original purchase and is not transferable.

Please keep your purchase receipt as proof of purchase and as proof of the date of when the purchase was made. The receipt/invoice must be presented with the warranty card when making a claim under this warranty.

Service during the Warranty Period

Please ensure the product is properly packaged so as to ensure that no damage occurs in transit. Also make sure that you have included a detailed explanation of the problem.

Extent of the Warranty

This warranty is limited to defects in workmanship or parts. All defective products or parts will be repaired or replaced. This warranty does not extend to accessories.

Normal Wear and Tear

This warranty does not cover normal wear and tear of the product or parts.

Exclusions

This warranty does not cover the following:

- Any defect caused by accident, misuse, abuse, improper installation or operation, lack of reasonable care, unauthorised modification, loss of parts, tampering or attempted repair by a person not authorised by the distributor.
- Any product that has been damaged by lightning strike either directly or indirectly, or on a main's
 or vehicle outlet power surge or liquid ingress.
- Any product that has not been installed, operated or maintained in accordance with the manufacturer's operating instructions provided with the product.
- Any product that has been used for purposes other than domestic use.
- The product if it is located outside of the U.K., N. Ireland or Republic of Ireland
- Any damage caused by improper power input or improper cable connection.







Warranty Card

Please keep your purchase receipt/invoice together with your warranty card

Spray Booth

Model Number: BD-512

| Name: | |
|-----------------------|--|
| Address: | |
| | |
| | |
| | |
| Date of purchase: | |
| Location of purchase: | |
| Fault Description: | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

We recommend that you attach a photocopy of your receipt/invoice, showing the date of purchase, to this warranty card and keep it for your reference. In the event of a product fault, please call the After Sales Support team. Please ensure that you have the product details (as shown on this card) to hand so that the support team are able to respond as quickly and efficiently as possible.

After Sales Support

UK/N.IRELAND HELPLINE N°: 01270 508530
WEBSITE: www.airbrushheaven.co.uk
EMAIL: enquiries@airbrushheaven.co.uk

Service Helpline

QUESH LTD, B7, FIRST BUSINESS PARK FIRST AVENUE, CREWE, CHESHIRE. CW1 6BG



For further help, advice and video demonstrations please visit: www.airbrushheaven.co.uk

